

AIM SMALL

Mounting	Pendant
Type of ceiling pendant	Suspension cable
Lamps description	1 MULTICHIP LED 2700K 1250lm CRI90 - 20W
Environment	Indoor
Finish	Anodized brown, White, Black

Technical description	Suspended light fitting. Body in varnished aluminium sheet, shade in photo-etched optical polycarbonate. Internal reflector in photo-etched PC. Directionable body. Powered directly from mains. The LED can be dimmed with a «Triac for Led» dimmer approved by Flos. Flos does not respond in case of wrong electrical connection system installations. The cable has a useful length of 9 metres and thus the lamp can be suspended 3 metres from the ceiling. Multiple rose with capacity to connect up to 5 Aim Small also available.
------------------------------	--

ELECTRICAL

Emergency	Without
------------------	---------

PHYSICAL

Supply	Terminal block
Cord length (mm)	9000/3000
Construction material	Aluminum, Polycarbonate
Weight (kg)	1.9 (x1 AIM SMALL)




AIM SMALL

designed by R. & E. Bouroullec

Suspended light fitting.

● F0095009	White
● F0095030	Black
● F0095026	Anodized brown

DIMENSIONS



CERTIFICATIONS



AIM SMALL .Accessories

Electrical



Multiple rose



Multiple rose



Multiple rose






Wall Dimmer




AIM SMALL

designed by R. & E. Bouroullec

Suspended light fitting.

	F0095009	White
	F0095030	Black
	F0095026	Anodized brown

DIMENSIONS




CERTIFICATIONS



IP
20

AIM SMALL . Lamps



MULTICHIP LED 2700K
1250lm CRI 90 - 20W

Lamp wattage:

20 W

Lamp category:

LED

Socket:

Special base

Color temperature (K):

2700 °K

Lamp type:




LED




AIM SMALL

designed by R. & E. Bouroullec

Suspended light fitting.

	F0095009	White
	F0095030	Black
	F0095026	Anodized brown

DIMENSIONS



CERTIFICATIONS



IP
20